US ERA ARCHIVE DOCUMENT



RECEIVED 1.T.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

28 JUN 1982

Fale petition

MEMORANDUM/

JUN 30 1982

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

TO:

Henry Jacoby

Product Manager, No. 21

Registration Division (TS-767-C)

THRU:

Christine F. Chaisson, Ph.D.

Toxicology Branch

Hazard Evaluation Division (TS-769)

SUBJECT:

Bayleton on Pineapple (PP No. 2F2688, Caswell No.

862-AA).

Petitioner:

Mobay Chemical Corporation Agricultural Chemicals Division Kansas City, Missouri 64120

Action Requested:

Establishment of a tolerance of Bayleton on pineapple at the level of 3.0 ppm.

Conclusions and Recommendations:

- 1. Toxicology Branch can not recommend for the establishment of the requested tolerances at this time for the lack of information on workers exposure. Field re-entry is anticipated to be a major component of the risk assessment for this use, and the exposure estimates are crucial.
- 2. Based on dietary exposure, adequate margins of safety (MOS) exist for both maternal toxicity, embryonic and fetal development/teratology.
- 3. Toxicology Branch defers to the Environmental Fate Branch the question of worker exposure.

G. Ghat.

Detailed Considerations:

1. The ADI for bayleton has been established on the basis of a NOEL of 50 ppm generated from a two-year feeding study in rat with a safety factor of 100. The ADI is considered o be 0.025 mg/kg/day and the MPI is 1.5 mg/day (60 kg).

1/3

The portion of the ADI utilized by tolerances that have been already approved by Tox. Branch is 6.19%. Granting the current tolerance would add 0.88% to the ADI.

2. Based on dietary exposure, adequate margins of safety exist for embryonic and fetal development/teratology and maternal toxicity. However, a the risk assessment can not be completed and final recommendations can not be made before the information on workers exposure become available.

Toxicology Profile:

Toxicology data are summarized in a memo by George Ghali, dated March 1982 to Henry Jacoby.

G. Ghel.

George Ghali, Ph.D. Toxicology Branch Hazard Evaluation Division (TS-769)

Defo of 6/3d82

File last updated 6/9/82

ACCEPTABLE DAILY INTAKE DATA

	RAT, Older	NOEL	S.F.	ADI	MPI
The second secon	mg/kg	ррп		mg/kg/day	mg/day(60kg)
	2.500	50.00	100	0.0250	1.5000

Unpublished, Tox Approved 0G2300, 1G2432, 0E2393, 1E2459, 0F2349, 1F2474

CROP		Tolerance	Food Factor	mg/day(1.5kg)
Apples(2)	0.750	2.53	0.02846
 Pears(ll	6)	1,000	0.26	0.00383
Cucumbers, not pickl (4	7)	0.100	0.34	0.00051
Tomatoes(16	3)	0.200	2.87	0.00862
 Grapes, not raisins (6	7)	2.000	0.45	0.01349
Melons(9	2)	0.200	2.00	0.00601
Chick seas (21	4)	0.100	0.03	0.00005
 Meat, inc poultry (8	9)	0.010	13.85	0.00208
Grapes, not raisins (6	7)	0.000	0.45	0.00000
 Apples(2)	0.250	2.53	0.00949
Wheat (17	0)	0.100	10.36	0.01554
Eggs (5	4)	0.010	2.77	0.00042
Milk&Dairy Products (9	3)	0.010	28.52	0.00429

1.5000 mg/day(60kg) 0.0928 mg/day(1.kg) 6.19

Current Action 2F2688

(3) sc

335 d

CROP Tolerance Food Factor mg/day(1.5kg)
Pineapple(123) 3.000 0.30 0.01334

MPI TMRC % ADI 1.5000 mg/day(60kg) 0.1061 mg/day(1.5kg) 7.07